



Khosro Nikoo Plast
INDUSTRIAL GROUP

Date 04-02-25

UPVC PIPES AND FITTINGS PRICE LIST

"specialized systems of building facilities and sewerage infrastructure"



● UPVC Pipes fitting



● 45 TEE

Price	Pcs/Box	Size	Code
0.18	144	40	430345040000
0.27	90	50	430345050000
0.41	92	63	430345063000
0.52	56	75	430345075000
0.81	32	90	430345090000
1.19	20	110	430345110000
1.58	12	125	430345125000
3.15	6	160	430345160000



● 45 ELBOW

Price	Pcs/Box	Size	Code
0.09	440	40	430145040000
0.13	216	50	430145050000
0.20	120	63	430145063000
0.27	168	75	430145075000
0.40	90	90	430145090000
0.51	60	110	430145110000
0.66	32	125	430145125000
1.38	15	160	430145160000



● 90 TEE

Price	Pcs/Box	Size	Code
0.14	180	40	430390040000
0.20	108	50	430390050000
0.34	114	63	430390063000
0.44	71	75	430390075000
0.63	40	90	430390090000
0.95	27	110	430390110000
1.12	16	125	430390125000
2.46	8	160	430390160000



● 90 ELBOW

Price	Pcs/Box	Size	Code
0.09	270	40	430190040000
0.16	160	50	430190050000
0.24	166	63	430190063000
0.33	108	75	430190075000
0.47	64	90	430190090000
0.67	42	110	430190110000
0.89	24	125	430190125000
1.94	14	160	430190160000



● NON-CENTER CONVERTER

Price	Pcs/Box	Size	Code
0.14	270	63×40	430500063040
0.15	270	63×50	430500063050
0.26	96	90×63	430500090063
0.35	120	110×63	430500110063
0.37	120	110×90	430500110090
0.47	93	125×110	430500125110
0.80	51	160×110	430500160110
0.82	51	160×125	430500160125



● 45 ELBOW CONNECTIONS

Price	Pcs/Box	Size	Code
0.63	48	90×63	430345090063
0.79	32	110×63	430345110063
1.01	20	110×90	430345110090
1.41	12	125×110	430345125110
2.24	8	160×110	430345160110



● SCREW TRAP DOOR CAP

Price	Pcs/Box	Size	Code
0.28	105	63	430900063000
0.50	90	90	430900090000
0.67	69	110	430900110000



● 90 ELBOW CONNECTIONS

Price	Pcs/Box	Size	Code
0.51	56	90×63	430390090063
0.67	36	110×63	430390110063



UPVC pipes and fitting
Price lists



5-layer pipes and fitting
Price lists



Product Catalog



● SIMPLE MALE CAP

Price	Pcs/Box	Size	Code
0.10	270	63	431000063000
0.15	294	75	431000075000
0.20	96	90	431000090000
0.28	120	110	431000110000
0.32	93	125	431000125000



● TEE BEND 87/5

Price	Pcs/Box	Size	Code
0.43	72	63	430387063000
0.97	30	90	430387090000
1.15	27	110	430387110000



● STOP-COUPLER

Price	Pcs/Box	Size	Code
0.16	270	63	430800063000
0.27	120	90	430800090000
0.40	60	110	430800110000
0.51	48	125	430800125000



● TRAP DOOR CONTROL

Price	Pcs/Box	Size	Code
1.26	24	110	430300110000



● STOP-COUPLER (With brake)

Price	Pcs/Box	Size	Code
0.16	270	63	430700063000
0.26	120	90	430700090000
0.39	60	110	430700110000
0.50	48	125	430700125000



● SIPHON

Price	Pcs/Box	Size	Code
0.34	96	63	430400063000
0.51	56	75	430400075000
0.68	40	90	430400090000
1.12	20	110	430400110000
1.25	20	110×125	430400125110



● Vent Cowl

Price	Pcs/Box	Size	Code
0.94	36	125-110-90	431112511090
0.50	63	75-63	431107506300



● MUFF

Price	Pcs/Box	Size	Code
0.23	128	63	430600063000
0.39	100	90	430600090000
0.63	60	110	430600110000



COUPLER UPVC FITTINGS

EASE OF INSTALLATION
AND EXECUTION



KHOSRO NIKOO PLAST
INDUSTRIAL GROUP

● CONNECTIONS COUPLER

Price	Pcs/Box	Size	Code
0.78	32	90×63	431345090063
0.99	24	110×63	431345110063
1.26	20	110×90	431345110090



● TEE BEND 87/5
COUPLER

Price	Pcs/Box	Size	Code
0.61	70	63	431287063000
1.12	30	90	431287090000
1.45	20	110	431287110000



● TEE BEND 87/5
CONNECTIONS COUPLER

Price	Pcs/Box	Size	Code
1.12	36	90×63	431387090063
1.45	26	110×63	431387110063
1.51	20	110×90	431387110090



● 45 ELBOW COUPLER

Price	Pcs/Box	Size	Code
0.24	75	63	430245063000
0.48	64	90	430245090000
0.60	36	110	430245110000



● 90 ELBOW COUPLER


Price	Pcs/Box	Size	Code
0.30	120	63	430290063000
0.53	48	90	430290090000
0.76	30	110	430290110000



● 45 TEE COUPLER

Price	Pcs/Box	Size	Code
0.52	74	63	431245063000
1.00	32	90	431245090000
1.47	16	110	431245110000





ATAPIPE
Vent PIPE



ATAPIPE
Sewage PIPE

● ATAPIPE Sewerage Building Pipes

EVERYTHING YOU EXPECT FROM A UPVC PIPE

Price	Inches	Application	Thickness	Weight	Standard-Use	
4.70	11/4"	B	3	3.400	Sewage 9119-1	40
Price	Inches	Application	Thickness	Weight	Standard-Use	
5.87	11/2"	B	3	4.250	Sewage 9119-1	50
Price	Inches	Application	Thickness	Weight	Standard-Use	
3.89	2"	Rainwater - Vent	1.5	2.800	Vent 12142-1	63
7.18	2"	B	3	5.200	Sewage 9119-1	
Price	Inches	Application	Thickness	Weight	Standard-Use	
5.42	2.5"	Rainwater - Vent	1.8	3.9	Vent 12142-1	75
8.29	2.5"	SN4-BD	3	6	Sewage 9119-1	
Price	Inches	Application	Thickness	Weight	Standard-Use	
6.53	3"	Rainwater - Vent	1.8	4.700	Vent 12142-1	90
10.36	3"	SN4-BD	3	7.500	Sewage 9119-1	
Price	Inches	Application	Thickness	Weight	Standard-Use	
9.72	4"	Rainwater - Vent	2.2	7	Vent 12142-1	110
13.53	4"	SN4-BD	3.2	9.800	Sewage 9119-1	



Khosro Nikoo Plast
INDUSTRIAL GROUP

Date 04-02-25

UPVC PIPES AND FITTINGS PRICE LIST

"specialized systems of building facilities and sewerage infrastructure"



Price	Inches	Application	Thickness	Weight	Standard-Use	
12.50	5"	Rainwater - Vent	2.5	9	Vent 12142-1	125
15.74	5"	SN4-BD	3.2	11.400	Sewage 9119-1	

Price	Inches	Application	Thickness	Weight	Standard-Use	
24.86	6"	SN4-UD	4	18	Sewage 9118-1	160

Price	Inches	Application	Thickness	Weight	Standard-Use	
46.26	8"	SN8-U	5.9	33.500	Sewage - burial 9118-1	200
60.07	8"	SN16-U	7.7	43.500	Sewage - burial 9118-1	

Price	Inches	Application	Thickness	Weight	Standard-Use	
71.81	10"	SN8-U	7.3	52	Sewage - burial 9118-1	250
93.91	10"	SN16-U	9.6	68	Sewage - burial 9118-1	


Price	Inches	Application	Thickness	Weight	Standard-Use	
108.96	12"	SN8-U	9.2	78	Sewage - burial 9118-1	315
146.68	12"	SN16-U	12.1	105	Sewage - burial 9118-1	

Sewer pipes accordance with national standard INSO 9118, INSO 9119

Plumpling pipes accordance with national standard ISIRI 12142

Include a technical certificate from the Road, Housing and Urban Development Research Center





● Khosro Nikoo Plast Sewerage Building Pipes

Economical And durable

Khosro Nikoo Plast Pipes
accordance with national standard
ISIRI 12142-1, Plumbing, INSO 9118-1

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
1.58	1 1/4	10	1.9	1.900	Custom	40
2.34	1 1/4	16	3	2.900	Medium Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
1.99	1 1/2	6	1.6	2.400	Custom	50
2.50	1 1/2	10	2.4	3.100	Medium Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
3.83	2	10-B	3	4.800	Medium Pressure	63
4.39	2	10-B	3	5.500	Custom	
5.86	2	16	4.7	7.200	High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
3.99	2.5	6-B	3	5	Medium Pressure	75
4.79	2.5	6-B	3	6.000	Custom	
7.00	2.5	6-B	3	6.000	High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
5.03	3	6-B	3	6.300	Medium Pressure	90
5.83	3	6-B	3	7.300	Custom	
7.90	3	10	4.3	9.700	High Pressure	



Khosro Nikoo Plast
INDUSTRIAL GROUP

Date 04-02-25

UPVC PIPES AND FITTINGS PRICE LIST

"specialized systems of building facilities and sewerage infrastructure"



● Khosro Nikoo Plast Sewerage Building Pipes

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
6.63	4	6	2.7	8.300	Custom 2.7	110
7.26	4	6-BD	3.2	9.100	Medium Pressure	
8.38	4	6-SN4	3.2	10.500	Custom	
11.81	4	12.5	5.3	14.500	High Pressure	


Price	Inches	Pressure(bar)	Thickness	Weight	Use	
6.74	5	4-BD	2.5	8.200	Custom	125
9.42	5	6-BD	3.2	11.800	Medium Pressure	
15.06	5	12.5	6	18.500	High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
10.94	6	4-BD	3.2	13.300	Custom	160
15.17	6	6-SN8	4.7	19	Medium Pressure	
24.59	6	12.5	7.7	30.200	High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
16.86	8	4-BD	3.9	20.500	Custom	200
23.71	8	6-SN8	5.9	29.700	Medium Pressure	
36.64	8	8-SN16	7.7	35	High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
25.90	10	4-SN2	4.9	31.200	Custom	250
37.01	10	6-SN8	7.3	45.900	Medium Pressure	
52.21	10	10-SN16	9.6	63.500	High Pressure	
61.67	10	10-SN16	9.6	75	Custom High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
46.08	12	4-BD	6.2	55.500	Custom	315
56.03	12	6-BD	7.7	69.500	Medium Pressure	
65.78	12	10-SNB	9.2	80	High Pressure	



● **ATAPIPE Conduit System For Cable Management**

Price	Specifications	Inches	Thickness	Weight	Inner diameter	
0.84	Unbreakable Refractory 11215-21	1/2"	1	0.6	17.8	20 13
0.98		1/2"	1.3	0.7	17.3	
1.12		1/2"	1.5	0.8	16.8	
1.26		1/2"	1.8	0.9	16.5	

Price	Specifications	Inches	Thickness	Weight	Inner diameter	
1.40	Unbreakable Refractory 11215-21	3/4"	1.5	1	22	25 16
1.68		3/4"	1.8	1.2	21.4	
1.82		3/4"	2	1.3	21	

Price	Specifications	Inches	Thickness	Weight	Inner diameter	
2.10	Unbreakable Refractory 11215-21	1"	1.8	1.5	28.4	32 21
2.79		1"	2	2	28	
3.07		1"	2.4	2.2	27.2	
3.35		1"	3	2.4	26	

● **Khosro Nikoo Plast Conduit System For Cable Management**




Price	Specifications	Inches	Thickness	Weight	Inner diameter	
0.66	Refractory 13361-2	1/2"	1.5	0.8	17.6	20 13
0.75		1/2"	1.8	0.9	17.4	
0.83		1/2"	2	1	17	

Price	Specifications	Inches	Thickness	Weight	Inner diameter	
0.83	Refractory 13361-2	3/4"	1.5	1	22.6	25 16
1.08		3/4"	1.9	1.3	22	

Price	Specifications	Inches	Thickness	Weight	Inner diameter	
1.25	Refractory 13361-2	1"	1.9	1.5	29.2	32 21
1.58		1"	2.4	1.9	28.6	
1.83		1"	2.4	2.2	28.4	
1.95		1"	2.9	2.3	28.1	

● **The spiral of UPVC electrical pipe size 20 mm**

Price	proper weight of pipe	Price	proper weight of pipe	Price	proper weight of pipe
3.73	800 gr	3.73	700 gr	3.73	600 gr



● Pushfit Sewerage Pipes (DIN LOCK)

Price	Specifications	Inches	Double side socket	Single side socket	length	Thickness
0.27	9119 B	1 1/2"		*	15	2/4 Studs
0.29				*	20	
0.31				*	25	
0.47			*	*	30	
0.42			*	*	50	
0.64			*	*	100	
1.07			*	*	200	
1.50			*	*	300	
1.88				*	400	
2.80			*	*	600	
0.32	9119 B	1 1/2"		*	15	3 Sewage
0.34				*	20	
0.39				*	25	
0.63			*	*	30	
0.56			*	*	50	
0.92			*	*	100	
1.63			*	*	200	
2.35			*	*	300	
2.97			*	*	400	
4.49			*	*	600	

50

● The length mentioned in the push-fit pipes is taking into account the length of the push-fit part. (Ineffective length)

UPVC PIPES AND FITTINGS PRICE LIST

"specialized systems of building facilities and sewerage infrastructure"



Price	Specifications	Inches	Double side socket	Single side socket	length	Thickness
0.37	9119 B/BD SN4	2 1/2"		*	15	2/3 Studs
0.41				*	20	
0.44				*	25	
0.68			*	*	30	
0.62			*	*	50	
0.96			*	*	100	
1.66			*	*	200	
2.36			*	*	300	
3.03			*	*	400	
4.45			*	*	600	
0.47	9119 B/BD SN4	2 1/2"		*	15	3 Sewage
0.54				*	20	
0.61				*	25	
1.09			*	*	30	
0.95			*	*	50	
1.64			*	*	100	
3.03			*	*	200	
4.41			*	*	300	
5.79			*	*	400	
8.55			*	*	600	

75

Price	Specifications	Inches	Double side socket	Single side socket	length	Thickness
0.56	9119 BD SN4	4"		*	15	2/2 Studs
0.62				*	20	
0.68				*	25	
1.13			*	*	30	
1.00			*	*	50	
1.64			*	*	100	
2.90			*	*	200	
4.18			*	*	300	
5.46			*	*	400	
7.99			*	*	600	
0.71	9118 UD SN6	4"		*	15	3/2 Sewage
0.82				*	20	
0.93				*	25	
1.72			*	*	30	
1.50			*	*	50	
2.62			*	*	100	
4.88			*	*	200	
7.13			*	*	300	
9.37			*	*	400	
13.90			*	*	600	

110

4

Feb

Khosro Nikoo Plast
INDUSTRIAL GROUP

Date 04-02-25

UPVC PIPES AND FITTINGS PRICE LIST

"specialized systems of building
facilities and sewerage infrastructure"

Price	Specifications	Inches	Double side socket	Single side socket	length	Thickness
0.74	9119 BD SN4	5"		*	15	3.2 Studs
0.82				*	20	
0.90				*	25	
1.48			*	*	30	
1.31			*	*	50	
2.14			*	*	100	
3.78			*	*	200	
5.43			*	*	300	
7.03			*	*	400	
10.38			*	*	600	
0.90	9118 UD SN8	5"		*	15	3.7 Sewage
1.03				*	20	
1.17				*	25	
1.30			*	*	30	
1.84			*	*	50	
3.21			*	*	100	
5.92			*	*	200	
8.64			*	*	300	
11.26			*	*	400	
16.78			*	*	600	
Price	Specifications	Inches	Double side socket	Single side socket	length	Thickness
0.97	9119 B	6"		*	15	3.2 Studs
1.09				*	20	
1.21				*	25	
2.04			*	*	30	
1.80			*	*	50	
2.98			*	*	100	
5.36			*	*	200	
7.74			*	*	300	
10.08			*	*	400	
14.86			*	*	600	
1.27	9118 UD SN4	6"		*	15	4 Sewage
1.48				*	20	
1.70				*	25	
3.24			*	*	30	
2.79			*	*	50	
4.99			*	*	100	
9.35			*	*	200	
13.73			*	*	300	
18.01			*	*	400	
26.85			*	*	600	


125

160

10



WWW.ATAPIPE.IR



● Pushfit Watersupply/ Under Pressure Pipes (POWER LOCK)



Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
5.60	13361-2 W/P	2"	6	3.500	2	63
7.89		2"	10	5	3	
11.73		2"	16	7.500	4.7	
Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
10.70	13361-2 W/P	3"	6	6.800	2.8	90
15.61		3"	10	10	4.3	
23.88		3"	16	15.400	6.7	
Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
12.63	13361-2 W/P	4"	6	8	2.7	110
19.07		4"	10	12.200	4.2	
23.82		4"	12.5	15.300	5.3	
29.18		4"	16	18.800	6.6	

● The length mentioned in the push-fit pipes is taking into account the length of the push-fit part.
(Ineffective length)

● Pushfit Watersupply/ Under Pressure Pipes (POWER LOCK)

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
16.63	13361-2 W/P	5"	6	10.500	3.1	125
24.91		5"	10	15.900	4.8	
30.58		5"	12.5	19.600	6	
37.17		5"	16	23.900	7.4	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
27.79	13361-2 W/P	6"	6	17.100	4	160
40.98		6"	10	26.300	6.2	
50.17		6"	12.5	32.300	7.7	
61.05		6"	16	39.400	9.5	
74.23		6"	20	48	11.8	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
41.39	13361-2 W/P	8"	6	26.400	4.9	200
63.31		8"	10	40.700	7.7	
78.33		8"	12.5	50.500	9.6	
95.19		8"	16	61.500	11.9	
115.57		8"	20	74.800	14.7	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
52.03	13361-2 W/P	9"	6	33.200	5.5	225
79.61		9"	10	51.200	8.6	
99.08		9"	12.5	63.900	10.8	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
65.29	13361-2 W/P	10"	6	41.700	6.2	250
98.70		10"	10	63.500	9.6	
120.92		10"	12.5	78	11.9	
148.51		10"	16	96	14.8	
180.70		10"	20	117	18.4	

● Pushfit Watersupply/ Under Pressure Pipes (POWER LOCK)

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness
101.49	13361-2 W/P	12"	6	65	7.7
126.78		12"	8	81.500	9.7
156.66		12"	10	101	12.1
191.91		12"	12.5	124	15
236.36		12"	16	153	18.7
286.94		12"	20	186	23.2

315

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness
130.91	13361-2 W/P	14"	6	84	8.7
161.57		14"	8	104	10.9
198.35		14"	10	128	13.6
242.80		14"	12.5	157	16.9
299.51		14"	16	194	21.1
363.88		14"	20	236	26.1

355

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness
165.74	13361-2 W/P	16"	6	106.500	9.8
204.06		16"	8	131.500	12.3
250.80		16"	10	162	15.3
309.05		16"	12.5	200	19.1
378.02		16"	16	245	23.7
460.78		16"	20	299	29.4

400

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness
257.27	13361-2 W/P	20"	6	165	12.3
317.04		20"	8	204	15.3
390.61		20"	10	252	19.1
482.57		20"	12.5	312	23.9
591.39		20"	16	383	29.7
720.13		20"	20	467	36.8

500