



● UPVC Pipes fitting



● 45 TEE

Price	Pcs/Box	Size	Code
0.15	144	40	430345040000
0.23	90	50	430345050000
0.36	92	63	430345063000
0.45	56	75	430345075000
0.69	32	90	430345090000
1.02	20	110	430345110000
1.36	12	125	430345125000
2.70	6	160	430345160000



● 45 ELBOW

Price	Pcs/Box	Size	Code
0.08	440	40	430145040000
0.11	216	50	430145050000
0.17	120	63	430145063000
0.23	168	75	430145075000
0.34	90	90	430145090000
0.44	60	110	430145110000
0.57	32	125	430145125000
1.18	15	160	430145160000



● 90 TEE

Price	Pcs/Box	Size	Code
0.12	180	40	430390040000
0.17	108	50	430390050000
0.29	114	63	430390063000
0.38	71	75	430390075000
0.54	40	90	430390090000
0.82	27	110	430390110000
0.96	16	125	430390125000
2.11	8	160	430390160000



● 90 ELBOW

Price	Pcs/Box	Size	Code
0.08	270	40	430190040000
0.14	160	50	430190050000
0.21	166	63	430190063000
0.29	108	75	430190075000
0.40	64	90	430190090000
0.57	42	110	430190110000
0.77	24	125	430190125000
1.66	14	160	430190160000



● NON-CENTER CONVERTER

Price	Pcs/Box	Size	Code
0.12	270	63×40	430500063040
0.13	270	63×50	430500063050
0.22	96	90×63	430500090063
0.30	120	110×63	430500110063
0.32	120	110×90	430500110090
0.40	93	125×110	430500125110
0.68	51	160×110	430500160110
0.70	51	160×125	430500160125



● 45 ELBOW CONNECTIONS

Price	Pcs/Box	Size	Code
0.54	48	90×63	430345090063
0.67	32	110×63	430345110063
0.86	20	110×90	430345110090
1.21	12	125×110	430345125110
1.92	8	160×110	430345160110



● SCREW TRAP DOOR CAP

Price	Pcs/Box	Size	Code
0.24	105	63	430900063000
0.43	90	90	430900090000
0.57	69	110	430900110000



● 90 ELBOW CONNECTIONS

Price	Pcs/Box	Size	Code
0.44	56	90×63	430390090063
0.57	36	110×63	430390110063



● SIMPLE MALE CAP

Price	Pcs/Box	Size	Code
0.09	270	63	431000063000
0.12	294	75	431000075000
0.17	96	90	431000090000
0.24	120	110	431000110000
0.27	93	125	431000125000



● TEE BEND 87/5

Price	Pcs/Box	Size	Code
0.37	72	63	430387063000
0.83	30	90	430387090000
0.98	27	110	430387110000



● STOP-COUPLER

Price	Pcs/Box	Size	Code
0.14	270	63	430800063000
0.23	120	90	430800090000
0.34	60	110	430800110000
0.44	48	125	430800125000



● TRAP DOOR CONTROL

Price	Pcs/Box	Size	Code
1.08	24	110	430300110000



● STOP-COUPLER (With brake)

Price	Pcs/Box	Size	Code
0.13	270	63	430700063000
0.22	120	90	430700090000
0.34	60	110	430700110000
0.43	48	125	430700125000



● SIPHON

Price	Pcs/Box	Size	Code
0.29	96	63	430400063000
0.44	56	75	430400075000
0.59	40	90	430400090000
0.96	20	110	430400110000
1.08	20	110x125	430400125110



● Vent Cowl

Price	Pcs/Box	Size	Code
0.81	36	125-110-90	431112511090
0.43	63	75-63	431107506300



● MUFF

Price	Pcs/Box	Size	Code
0.20	128	63	430600063000
0.33	100	90	430600090000
0.54	60	110	430600110000



COUPLER UPVC FITTINGS

EASE OF INSTALLATION
AND EXECUTION



KHOSRO NIKOO PLAST
INDUSTRIAL GROUP

● CONNECTIONS COUPLER

Price	Pcs/Box	Size	Code
0.67	32	90x63	431345090063
0.85	24	110x63	431345110063
1.08	20	110x90	431345110090



● TEE BEND 87/5 COUPLER

Price	Pcs/Box	Size	Code
0.52	70	63	431287063000
0.96	30	90	431287090000
1.24	20	110	431287110000



● TEE BEND 87/5 CONNECTIONS COUPLER

Price	Pcs/Box	Size	Code
0.96	36	90x63	431387090063
1.24	26	110x63	431387110063
1.29	20	110x90	431387110090



● 45 ELBOW COUPLER

Price	Pcs/Box	Size	Code
0.21	75	63	430245063000
0.41	64	90	430245090000
0.51	36	110	430245110000



● 90 ELBOW COUPLER


Price	Pcs/Box	Size	Code
0.25	120	63	430290063000
0.46	48	90	430290090000
0.65	30	110	430290110000



● 45 TEE COUPLER

Price	Pcs/Box	Size	Code
0.45	74	63	431245063000
0.86	32	90	431245090000
1.26	16	110	431245110000





ATAPIPE
Vent PIPE



ATAPIPE
Sewage PIPE

● ATAPIPE Sewerage Building Pipes

EVERYTHING YOU EXPECT FROM A UPVC PIPE

Price	Inches	Application	Thickness	Weight	Standard-Use	
4.06	11/4"	B	3	3.400	Sewage 9119-1	40

Price	Inches	Application	Thickness	Weight	Standard-Use	
5.08	11/2"	B	3	4.250	Sewage 9119-1	50

Price	Inches	Application	Thickness	Weight	Standard-Use	
3.37	2"	Rainwater - Vent	1.5	2.800	Vent 12142-1	63
6.21	2"	B	3	5.200	Sewage 9119-1	

Price	Inches	Application	Thickness	Weight	Standard-Use	
4.69	2.5"	Rainwater - Vent	1.8	3.9	Vent 12142-1	75
7.17	2.5"	SN4-BD	3	6	Sewage 9119-1	

Price	Inches	Application	Thickness	Weight	Standard-Use	
5.65	3"	Rainwater - Vent	1.8	4.700	Vent 12142-1	90
8.96	3"	SN4-BD	3	7.500	Sewage 9119-1	

Price	Inches	Application	Thickness	Weight	Standard-Use	
8.41	4"	Rainwater - Vent	2.2	7	Vent 12142-1	110
11.71	4"	SN4-BD	3.2	9.800	Sewage 9119-1	

Price	Inches	Application	Thickness	Weight	Standard-Use	
10.82	5"	Rainwater - Vent	2.5	9	Vent 12142-1	125
13.62	5"	SN4-BD	3.2	11.400	Sewage 9119-1	

Price	Inches	Application	Thickness	Weight	Standard-Use	
21.51	6"	SN4-UD	4	18	Sewage 9118-1	160

Price	Inches	Application	Thickness	Weight	Standard-Use	
40.03	8"	SN8-U	5.9	33.500	Sewage - burial 9118-1	200
51.98	8"	SN16-U	7.7	43.500	Sewage - burial 9118-1	

Price	Inches	Application	Thickness	Weight	Standard-Use	
62.14	10"	SN8-U	7.3	52	Sewage - burial 9118-1	250
81.26	10"	SN16-U	9.6	68	Sewage - burial 9118-1	


Price	Inches	Application	Thickness	Weight	Standard-Use	
94.28	12"	SN8-U	9.2	78	Sewage - burial 9118-1	315
126.92	12"	SN16-U	12.1	105	Sewage - burial 9118-1	

Sewer pipes accordance with national standard INSO 9118, INSO 9119

Plumping pipes accordance with national standard ISIRI 12142

Include a technical certificate from the Road, Housing and Urban Development Research Center





● Khosro Nikoo Plast Sewerage Building Pipes

Economical And durable

Khsoro Nikoo Plast Pipes
accordance with national standard
ISIRI 12142-1, Plumping, INSO 9118-1

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
1.36	1 1/4	10	1.9	1.900	Custom	40
2.02	1 1/4	16	3	2.900	Medium Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
1.72	1 1/2	6	1.6	2.400	Custom	50
2.16	1 1/2	10	2.4	3.100	Medium Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
3.32	2	10-B	3	4.800	Medium Pressure	63
3.80	2	10-B	3	5.500	Custom	
5.07	2	16	4.7	7.200	High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
3.45	2.5	6-B	3	5	Medium Pressure	75
4.14	2.5	6-B	3	6.000	Custom	
6.06	2.5	6-B	3	6.000	High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
4.35	3	6-B	3	6.300	Medium Pressure	90
5.04	3	6-B	3	7.300	Custom	
6.83	3	10	4.3	9.700	High Pressure	

● Khosro Nikoo Plast Sewerage Building Pipes

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
5.73	4	6	2.7	8.300	Custom 2.7	110
6.29	4	6-BD	3.2	9.100	Medium Pressure	
7.25	4	6-SN4	3.2	10.500	Custom	
10.22	4	12.5	5.3	14.500	High Pressure	


Price	Inches	Pressure(bar)	Thickness	Weight	Use	
5.83	5	4-BD	2.5	8.200	Custom	125
8.15	5	6-BD	3.2	11.800	Medium Pressure	
13.03	5	12.5	6	18.500	High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
9.46	6	4-BD	3.2	13.300	Custom	160
13.12	6	6-SN8	4.7	19	Medium Pressure	
21.28	6	12.5	7.7	30.200	High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
14.58	8	4-BD	3.9	20.500	Custom	200
20.51	8	6-SN8	5.9	29.700	Medium Pressure	
31.70	8	8-SN16	7.7	35	High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
22.41	10	4-SN2	4.9	31.200	Custom	250
32.02	10	6-SN8	7.3	45.900	Medium Pressure	
45.18	10	10-SN16	9.6	63.500	High Pressure	
53.36	10	10-SN16	9.6	75	Custom High Pressure	

Price	Inches	Pressure(bar)	Thickness	Weight	Use	
39.87	12	4-BD	6.2	55.500	Custom	315
48.48	12	6-BD	7.7	69.500	Medium Pressure	
56.91	12	10-SNB	9.2	80	High Pressure	



● **ATAPIPE Conduit System For Cable Management**

Price	Specifications	Inches	Thickness	Weight	Inner diameter	
0.80	Unbreakable Refractory 11215-21	1/2"	1	0.6	17.8	20 13
0.93		1/2"	1.3	0.7	17.3	
1.07		1/2"	1.5	0.8	16.8	
1.20		1/2"	1.8	0.9	16.5	
Price	Specifications	Inches	Thickness	Weight	Inner diameter	
1.33	Unbreakable Refractory 11215-21	3/4"	1.5	1	22	25 16
1.60		3/4"	1.8	1.2	21.4	
1.73		3/4"	2	1.3	21	
Price	Specifications	Inches	Thickness	Weight	Inner diameter	
2.00	Unbreakable Refractory 11215-21	1"	1.8	1.5	28.4	32 21
2.67		1"	2	2	28	
2.93		1"	2.4	2.2	27.2	
3.20		1"	3	2.4	26	

● **Khosro Nikoo Plast Conduit System For Cable Management**


Price	Specifications	Inches	Thickness	Weight	Inner diameter	
0.64	Refractory 13361-2	1/2"	1.5	0.8	17.6	20 13
0.71		1/2"	1.8	0.9	17.4	
0.79		1/2"	2	1	17	
Price	Specifications	Inches	Thickness	Weight	Inner diameter	
0.79	Refractory 13361-2	3/4"	1.5	1	22.6	25 16
1.03		3/4"	1.9	1.3	22	
Price	Specifications	Inches	Thickness	Weight	Inner diameter	
1.19	Refractory 13361-2	1"	1.9	1.5	29.2	32 21
1.51		1"	2.4	1.9	28.6	
1.75		1"	2.4	2.2	28.4	
1.87		1"	2.9	2.3	28.1	

● **The spiral of UPVC electrical pipe size 20 mm**

Price	proper weight of pipe	Price	proper weight of pipe	Price	proper weight of pipe
3.24	800 gr	3.24	700 gr	3.24	600 gr



PUSHFIT PRICE LIST



Price	Inches	Thickness	Weight	Length	Type	Code
2.37	1 1/2"	1.8	3.1	600	50	439102050011
1.29			1.55	300		439102050012
0.93			1.03	200		439102050013
0.57			0.51	100		439102050014
0.39			0.25	50		439102050015
0.30			0.13	25		439102050016

50

Price	Inches	Thickness	Weight	Length	Type	Code
5.28	1 1/2"	3	4.25	600	80	439101050007
2.75			2.12	300		439101050008
1.90			1.41	200		439101050009
1.05			0.70	100		439101050010
0.63			0.35	50		439101050011
0.42			0.17	25		439101050015

50

Price	Inches	Thickness	Weight	Length	Type	Code
4.43	2 1/2"	2.5	6.00	600	50	439102075002
2.36			3.00	300		439102075003
1.66			2.00	200		439102075004
0.97			1.00	100		439102075005
0.63			0.50	50		439102075006
0.46			0.25	25		439102075024

75

Price	Inches	Thickness	Weight	Length	Type	Code
7.45	2 1/2"	2.8 - 3	6.00	600	80	439101075001
3.87			3.00	300		439101075002
2.67			2.00	200		439101075003
1.48			1.00	100		439101075004
0.88			0.50	50		439101075005
0.58			0.25	25		439101075006

75

Price	Inches	Thickness	Weight	Length	Type	Code
6.67	4"	2.2 - 2.4	9.10	600	50	439102110010
3.53			4.55	300		439102110011
2.48			3.03	200		439102110012
1.43			1.51	100		439102110013
0.91			0.75	50		439102110006
0.70			0.45	30		439102110023
0.65			0.38	25		439102110024

110

Price	Inches	Thickness	Weight	Length	Type	Code
7.29	4"	2.6 - 2.8	10.00	600	50	439102110005

110

Price	Inches	Thickness	Weight	Length	Type	Code
8.67	4"	3 - 3.2	12.00	600	50	439102110014

110

Price	Inches	Thickness	Weight	Length	Type	Code
9.37	4"	3.2 - 3.3	13.00	600	50	439102110008

110

Price	Inches	Thickness	Weight	Length	Type	Code
12.10	4"	3 - 3.2	9.80	600	80	439101110001
6.24			4.90	300		439101110002
4.29			3.26	200		439101110003
2.34			1.63	100		439101110004
1.36			0.81	50		439101110005
0.97			0.49	30		439101110006
0.87			0.40	25		439101110007

110

Price	Inches	Thickness	Weight	Length	Type	Code
8.67	5"	2.3 - 2.5	11.80	600	50	439102125001
4.59			5.90	300		439102125002
3.23			3.93	200		439102125003
1.87			1.96	100		439102125004
1.19			0.98	50		439102125005
0.85			0.49	25		439102125007

125

Price	Inches	Thickness	Weight	Length	Type	Code
14.26	5"	3.2	11.50	600	80	439101125001
7.39			5.75	300		439101125002
5.10			3.83	200		439101125003
2.80			1.91	100		439101125004
1.66			0.95	50		439101125005
1.09			0.47	25		439101125008

125

Price	Inches	Thickness	Weight	Length	Type	Code
13.70	6"	3.4	19.00	600	50	439102160016
7.14			9.49	300		439102160017
4.95			6.33	200		439102160019
2.77			3.16	100		439102160020
1.67			1.58	50		439102160021
1.12			0.79	25		439102160022

160

Price	Inches	Thickness	Weight	Length	Type	Code
14.39	6"	3.6	20.00	600	50	439102160005


160

Price	Inches	Thickness	Weight	Length	Type	Code
11.63	6"	2.8	16.00	600	50	439102160004

160

Price	Inches	Thickness	Weight	Length	Type	Code
22.09	6"	4	18.00	600	80	439101160002
11.33			9.00	300		439101160001
7.75			6.00	200		439101160003
4.16			3.00	100		439101160004
2.37			1.50	50		439101160005
1.48			0.75	25		439101160006

160



● Pushfit Watersupply/ Under Pressure Pipes (POWER LOCK)



Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	2"	6	3.500	2	63
PRICE INQUIRY		2"	10	5	3	
PRICE INQUIRY		2"	16	7.500	4.7	
Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	3"	6	6.800	2.8	90
PRICE INQUIRY		3"	10	10	4.3	
PRICE INQUIRY		3"	16	15.400	6.7	
Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	4"	6	8	2.7	110
PRICE INQUIRY		4"	10	12.200	4.2	
PRICE INQUIRY		4"	12.5	15.300	5.3	
PRICE INQUIRY		4"	16	18.800	6.6	

● The length mentioned in the push-fit pipes is taking into account the length of the push-fit part.
(Ineffective length)

● Pushfit Watersupply/ Under Pressure Pipes (POWER LOCK)

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	5"	6	10.500	3.1	125
PRICE INQUIRY		5"	10	15.900	4.8	
PRICE INQUIRY		5"	12.5	19.600	6	
PRICE INQUIRY		5"	16	23.900	7.4	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	6"	6	17.100	4	160
PRICE INQUIRY		6"	10	26.300	6.2	
PRICE INQUIRY		6"	12.5	32.300	7.7	
PRICE INQUIRY		6"	16	39.400	9.5	
PRICE INQUIRY		6"	20	48	11.8	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	8"	6	26.400	4.9	200
PRICE INQUIRY		8"	10	40.700	7.7	
PRICE INQUIRY		8"	12.5	50.500	9.6	
PRICE INQUIRY		8"	16	61.500	11.9	
PRICE INQUIRY		8"	20	74.800	14.7	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	9"	6	33.200	5.5	225
PRICE INQUIRY		9"	10	51.200	8.6	
PRICE INQUIRY		9"	12.5	63.900	10.8	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	10"	6	41.700	6.2	250
PRICE INQUIRY		10"	10	63.500	9.6	
PRICE INQUIRY		10"	12.5	78	11.9	
PRICE INQUIRY		10"	16	96	14.8	
PRICE INQUIRY		10"	20	117	18.4	

● Pushfit Watersupply/ Under Pressure Pipes (POWER LOCK)

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	12"	6	65	7.7	315
PRICE INQUIRY		12"	8	81.500	9.7	
PRICE INQUIRY		12"	10	101	12.1	
PRICE INQUIRY		12"	12.5	124	15	
PRICE INQUIRY		12"	16	153	18.7	
PRICE INQUIRY		12"	20	186	23.2	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	14"	6	84	8.7	355
PRICE INQUIRY		14"	8	104	10.9	
PRICE INQUIRY		14"	10	128	13.6	
PRICE INQUIRY		14"	12.5	157	16.9	
PRICE INQUIRY		14"	16	194	21.1	
PRICE INQUIRY		14"	20	236	26.1	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	16"	6	106.500	9.8	400
PRICE INQUIRY		16"	8	131.500	12.3	
PRICE INQUIRY		16"	10	162	15.3	
PRICE INQUIRY		16"	12.5	200	19.1	
PRICE INQUIRY		16"	16	245	23.7	
PRICE INQUIRY		16"	20	299	29.4	

Price	Specifications	Inches	Pressure(bar)	Weight(6m/kg)	Thickness	
PRICE INQUIRY	13361-2 W/P	20"	6	165	12.3	500
PRICE INQUIRY		20"	8	204	15.3	
PRICE INQUIRY		20"	10	252	19.1	
PRICE INQUIRY		20"	12.5	312	23.9	
PRICE INQUIRY		20"	16	383	29.7	
PRICE INQUIRY		20"	20	467	36.8	