

# **UPVC Pipes & Fittings Color Enhancer**









### Product description


Due to the milky color of PVC products which is depended to the nature of PVC, to achieve products with pure white color, it is recommended to use color enhancer as an additive in PVC compounds. This product is compatible with all types and grades of PVC used to produce UPVC pipes, fittings, window profiles and wall coatings. This product is a complex mixture of pigments and fillers that modifies the white color of the product.

#### **KEY FEATURES AND BENEFITS**

- Economical
- Environmentally friendly
- Availability
- Low dust
- · Compatible with all types and grade of PVC

#### **KEY FEATURES AND BENEFITS**

Property	Whitening Agent
Appearance	Pale Blue powder
Ash content, % by weight	> 65 at 900 °C
Filler content, % by weight	25.37
Pigment content, % by weight	74.63
Thermal stability	Completely stable at 250 °C







#### **APPLICATION**

- UV light protector
- Color enhancer

The application dosage of this product depends on the consumer's demand. In common it is recommended to use 1 to 2.5 phr.

#### PACKAGING AND STORAGE

- The product is packed in 25 Kg pockets.
- It is better to store the product in a cool and dry place. Avoid to store the product in front of the direct sunlight.





گروه صنعتی خسرو نیکو پلاست

- انواع استابلایزر های PVC
- ای PVCکامپاند هـای PVC
- استئارات پـــایه فلــزی ( Ca, Zn, Mg )
- 👴 کمک فرآیند ها و روان کننده های پلیمری

## WWW.KNP-CO.COM

TEL: +98 41 4143

Khosro Nikoo Plast Industrial Group 3 Kilometers after Tabriz-Azarshahr Police Station, Tabriz, Iran